INDEX TO VOLUME 20—1985

Index to Authors and Contributors

ABDUL-MIHSEIN, M. J. *Paper* Stresses in axisymmetric rotating bodies determined by the boundary integral equation method, 79
ADEOYE, A. B. *Paper* Fracture stresses for ±75 degree filament wound GRP tubes, 139
ARNELL, P. P. *Paper* A study of the stress distribution in a lug loaded by a free fitting pin, 217
ASUNDI, A. *Research Note* Variable sensitivity shadow moiré method, 59

BAKR, A. A. *Paper* Stresses in axisymmetric rotating bodies determined by the boundary integral equation method, 79

CARTWRIGHT, D. J. *Paper* Strain energy release rate for a circular-arc edge crack in a bar under tension or bending, 53
CHAN, W. K. *Paper* Quantitative stress analysis by means of the thermoelastic effect, 129
CHAO, Y. J. *Paper* Radial flexibility factors of nozzles in pressure heads, 87
CHOW, F. Y. *Paper* Experiments on perforated plates subjected to shear, 23
COCKS, A. C. F. *Paper* The plastic behaviour of components subjected to constant primary stresses and cyclic secondary strains, 7
CROLL, J. G. A. *Paper* Stresses in axially loaded cylinders with imperfections and cracks, 15

DAOUD, O. E. K. *Paper* Strain energy release rate for a circular-arc edge crack in a bar under tension or bending, 53
DAWE, D. J. *Paper* Experimental and FEM study of a cylindrical panel loaded through a pad, 111
DRUCE, S. G. *Paper* A comparison of two methods for predicting ductile crack growth instability, 165

ETEMAD, *Paper* An experimental investigation of slow stable crack growth using HY130 steel, 201

FESSLER, H. *Paper* Ratchetting tests of a stepped beam under steady tension and cyclic bending, 193

GIBSON, P. G. *Paper* A comparison of two methods for predicting ductile crack growth instability, 165
GODOY, L. A. *Paper* Stresses in axially loaded cylinders with imperfections and cracks, 15
GUNDERSON, D. E. *Paper* Biaxial strength of paperboard predicted by Hill-type theories, 121

HARDY, S. J. *Paper* An assessment of simple material behaviour models for predicting the mechanical ratchetting of a stepped beam, 63
HIGHTON, J. *Paper* Fracture stresses for ±75 degree filament wound GRP tubes, 139
HILLS, D. A. *Paper* Stress intensity factors for a cracked half plane, 209
HYDE, T. H. *Papers* An assessment of simple material behaviour models for predicting the mechanical ratchetting of a stepped beam, 63. Experimental investigation of the creep crack growth in a lead alloy, 101. Ratchetting tests of a stepped beam under steady tension and cyclic bending, 193

JAKEMAN, R. R. *Paper* An experimental study of simplified methods for the prediction of the deformation of structures subject to severe cyclic thermal loading, 225
JOHNSON, M. W. *Paper* Biaxial strength of paperboard predicted by Hill-type theories, 121
JONES, N. *Paper* Tensile testing of a wire rope strand, 151

KATO, A. *Paper* Stress concentration factors of grooved shafts in torsion, 173
KEMP, K. O. *Paper* Stresses in axially loaded cylinders with imperfections and cracks, 15
KENNY, B. *Paper* Stress analysis of some nut–bolt connections with modifications to the nut thread form, 35
KISHIDA, M. *Paper* Three-dimensional axisymmetric elastic stresses in pressure vessels with torispherical drumheads (Comparison of elasticity, photoelasticity, and shell theory solutions), 183
KUBBA, B. *Paper* Experimental investigation of the creep crack growth in a lead alloy, 101

LOW, K. C. *Paper* Experimental investigation of the creep crack growth in a lead alloy, 101

MA, S. Y. A. *Paper* A rigid plastic method for the determination of collapse loads of infilled panels with openings, 41
MACGILLIVARY, H. J. *Paper* Measurement of residual stresses by neutron diffraction, 93
MAY, I. M. *Paper* A rigid plastic method for the determination of collapse loads of infilled panels with openings, 41
MIZUNO, T. *Paper* Stress concentration factors of grooved shafts in torsion, 173
MORRISON, C. J. *Paper* An experimental study of simplified methods for the prediction of the deformation of structures subject to severe cyclic thermal loading, 225

NARAYANAN, R. *Paper* Experiments on perforated plates subjected to shear, 23
NIGAM, H. *Paper* A numerical–experimental analysis of the contact stress problem, 241

OZAWA, H. *Paper* Three-dimensional axisymmetric elastic stresses in pressure vessels with torispherical drumheads (Comparison of elasticity, photoelasticity, and shell theory solutions), 183

PARKER, A. P. *Paper* Stresses in axisymmetric rotating bodies determined by the boundary integral equation method, 79
PATTERSON, C. *Paper* A study of the stress distribution in a lug loaded by a free fitting pin, 217
PATTERSON, E. A. *Paper* Stress analysis of some nut–bolt connections with modifications to the nut thread form, 35
PECHT, M. *Paper* Creep of regain–rheologically simple hydrophillic polymers, 179
PONTER, A. R. S. *Papers* The plastic behaviour of components subjected to constant primary stresses and cyclic secondary strains, 7. An experimental study of simplified methods for the prediction of the deformation of structures subject to severe cyclic thermal loading, 225

ROWLANDS, R. E. *Paper* Biaxial strength of paperboard predicted by Hill-type theories, 121

SACKFIELD, A. *Paper* Stress intensity factors for a cracked half plane, 209
SHUKLA, A. *Paper* A numerical–experimental analysis of the contact stress problem, 241
SODEN, P. D. *Paper* Fracture stresses for ±75 degree filament wound GRP tubes, 139
STACEY, A. *Paper* Measurement of residual stresses by neutron diffraction, 93
STANLEY, P. *Paper* Quantitative stress analysis by means of the thermoelastic effect, 129
SUHLING, J. C. *Paper* Biaxial strength of paperboard predicted by Hill-type theories, 121
SUTTON, M. A. *Paper* Radial flexibility factors of nozzles in pressure heads, 87
SWEENEY, J. *Paper* Analysis of a proposed method for toughness measurements using torsion testing, 1

TURNER, C. E. *Paper* An experimental investigation of slow stable crack growth using HY130 steel, 201

UCMAKLIOGLU, M. *Paper* Experimental and FEM study of a cylindrical panel loaded through a pad, 111
UTTING, W. S. *Paper* Tensile testing of a wire rope strand, 151
UZEL, A. R. *Paper* Stress intensity factors for a cracked half plane, 209

WEARING, J. L. *Paper* A study of the stress distribution in a lug loaded by a free fitting pin, 217
WEBSTER, G. A. *Paper* Measurement of residual stresses by neutron diffraction, 93

WEBSTER, J. J. *Papers* An assessment of simple material behaviour models for predicting the mechanical ratchetting of a stepped beam, 63. Experimental investigation of the creep crack growth in a lead alloy, 101
WEBSTER, P. J. *Paper* Measurement of residual stresses by neutron diffraction, 93

ZIEBECK, K. R. A. *Paper* Measurement of residual stresses by neutron diffraction, 93

Subject Index

A COMPARISON OF TWO METHODS OF PREDICTING DUCTILE CRACK GROWTH INSTABILITY, *Paper*, 165
A NUMERICAL–EXPERIMENTAL ANALYSIS OF THE CONTACT STRESS PROBLEM, *Paper*, 241
A RIGID PLASTIC METHOD FOR THE DETERMINATION OF COLLAPSE LOADS OF INFILLED PANELS WITH OPENINGS, *Paper*, 41
A STUDY OF THE STRESS DISTRIBUTION IN A LUG LOADED BY A FREE FITTING PIN, *Paper*, 217
AN ASSESSMENT OF SIMPLE MATERIAL BEHAVIOUR MODELS FOR PREDICTING THE MECHANICAL RATCHETTING OF A STEPPED BEAM, *Paper*, 63
AN EXPERIMENTAL INVESTIGATION OF SLOW STABLE CRACK GROWTH USING HY130 STEEL, *Paper*, 201
AN EXPERIMENTAL STUDY OF SIMPLIFIED METHODS FOR THE PREDICTION OF THE DEFORMATION OF STRUCTURES SUBJECT TO SEVERE CYCLIC THERMAL LOADING, *Paper*, 225
ANALYSIS OF A PROPOSED METHOD FOR TOUGHNESS MEASUREMENTS USING TORSIQN TESTING, *Paper*, 1
Axially loaded cylinders, stresses in, 15
Axisymmetric rotating bodies, stress in, 79

Bar under tension or bending, 53
Beam, stepped, 63, 193
Bending, 53
  cyclic, 193
BIAXIAL STRENGTH OF PAPERBOARD PREDICTED BY HILL-TYPE THEORIES, *Paper*, 121
Boundary integral equation method, 79

Circular-arc edge crack in a bar under tension or bending, strain energy release rate for, 53
Collapse loads of infilled panels with openings, determination of, 41
Constant primary stresses, behaviour of components subjected to, 7
Contact stress problem, 241
Crack, circular-arc edge, 53
Crack growth, stable, 201
Crack growth instability, ductile, 165
Cracked half plane, stress intensity factors for, 209
Cracks, in axially loaded cylinders, 15
Creep, 179
Creep crack growth in a lead alloy, experimental investigation of, 101
CREEP OF REGAIN–RHEOLOGICALLY SIMPLE HYDROPHILLIC POLYMERS, *Paper*, 179
Cyclic secondary strains, behaviour of components subjected to, 7
Cyclic thermal loading, 225
Cylinders, axially loaded, 15
Cylindrical panel, loaded through a pad, 111

Drumheads, torispherical, 183

Elasticity, 183
EXPERIMENTAL AND FEM STUDY OF A CYLINDRICAL PANEL LOADED THROUGH A PAD, *Paper*, 111
EXPERIMENTAL INVESTIGATION OF CREEP CRACK GROWTH IN A LEAD ALLOY, *Paper*, 101
EXPERIMENTS ON PERFORATED PLATES SUBJECT TO SHEAR, *Paper*, 23

FEM (Finite element method), 111
Flexibility factors, radial, 87
FRACTURE STRESSES FOR ±75 DEGREE FILAMENT WOUND GRP TUBES, *Paper*, 139
Free fitting pin, lug loaded by a, 217

Grooved shafts in torsion, stress concentration factors of, 173
GRP tubes, filament wound, 139

Half plane, cracked, 209
Hill-type theories, 121
Hydrophillic polymers, 179
HY130 steel, 201

Infilled panels with openings, collapse loads of, 41
Instability, crack growth, 165

Lead alloy, 101
Loading, thermal, 225

Material behaviour models, assessment of, 63
MEASUREMENT OF RESIDUAL STRESSES BY NEUTRON DIFFRACTION, *Paper*, 93
Mechanical ratchetting, prediction of, 63
Models, simple material behaviour, 63
Moiré method, shadow, 59

Neutron diffraction, measurement of residual stresses by, 93
Nozzles in pressure heads, 87
Nut–bolt connections, stress analysis of, 35

Panels, infilled, with openings, 41
Paperboard, biaxial strength of, 121
Perforated plates subjected to shear, experiments on, 23
Photoelasticity, 183
Plastic behaviour of components, 7
Plates, perforated, 23
Polymers, hydrophillic, 179
Predicting ductile crack growth instability, 165
Pressure heads, nozzles in, 87

Pressure vessels, three dimensional axisymmetric elastic stresses in, 183

QUANTITATIVE STRESS ANALYSIS BY MEANS OF THE THERMOELASTIC EFFECT, *Paper*, 129

RADIAL FLEXIBILITY FACTORS OF NOZZLES IN PRESSURE HEADS, *Paper*, 87
Ratchetting, 193
  mechanical, 63
RATCHETTING TESTS OF A STEPPED BEAM UNDER STEADY TENSION AND CYCLIC BENDING, *Paper*, 193
Regain–rheologically simple hydrophillic polymers, 179
Residual stresses, measurement of, 93
Rigid plastic method, 41
Rotating bodies, axisymmetric, 79

Shadow moiré method, variable sensitivity, 59
Shell theory, 183
Simplified methods for the prediction of the deformation of structures subject to severe cyclic thermal loading, 225
Slow stable crack growth, an experimental investigation of, 201
Stepped beam, mechanical ratchetting of, 63
  ratchetting tests of, 193
STRAIN ENERGY RELEASE RATE FOR A CIRCULAR-ARC EDGE CRACK IN A BAR UNDER TENSION OR BENDING, *Paper*, 53
Strains, secondary, cyclic, 7
Strength of paperboard, prediction of, 121
Stress analysis, 35
  quantitative, 129
STRESS ANALYSIS OF SOME NUT–BOLT CONNECTIONS WITH MODIFICATIONS TO THE NUT THREAD FORM, *Paper*, 35
STRESS CONCENTRATION FACTORS OF GROOVED SHAFTS IN TORSION, *Paper*, 173
Stress, contact, 241
Stress distribution in a lug loaded by a free fitting pin, 217
STRESS INTENSITY FACTORS FOR A CRACKED HALF PLANE, *Paper*, 209
Stresses:
  elastic, 183
  fracture, 139
  primary, constant, 7
  residual, 93
STRESSES IN AXIALLY LOADED CYLINDERS WITH IMPERFECTIONS AND CRACKS, *Paper*, 15

STRESSES IN AXISYMMETRIC ROTATING BODIES DETERMINED BY THE BOUNDARY INTEGRAL EQUATION METHOD, *Paper*, 79

TENSILE TESTING OF A WIRE ROPE STRAND, *Paper*, 151
Tension, 53
  steady, 193
Testing:
  tensile, 151
  torsion, 1
THE PLASTIC BEHAVIOUR OF COMPONENTS SUBJECTED TO CONSTANT PRIMARY STRESS AND CYCLIC SECONDARY STRAIN, *Paper*, 7
Thermal loading, cyclic, 225
Thermoelastic effect, quantitative stress analysis by means of, 129
Thread form, nut, modifications to, 35
THREE-DIMENSIONAL ELASTIC STRESSES IN PRESSURE VESSELS WITH TORISPHERICAL DRUMHEADS (COMPARISON OF ELASTICITY, PHOTOELASTICITY, AND SHELL THEORY SOLUTIONS), *Paper*, 183
Torispherical drumheads, 183
Torsion, grooved shafts in, 173
Torsion testing, toughness measurement using, 1
Toughness measurement, 1

VARIABLE SENSITIVITY SHADOW MOIRÉ METHOD, *Research Note*, 59

Wire rope strand, tensile testing of, 151